

# Runtal® Electric Baseboard

For over 60 years, Runtal has been world-renowned as the premium manufacturer of Euro-style hot water panel radiators. We are now pleased to unveil our new electric panel radiators (baseboard style). This revolutionary patent pending technology combines high outputs and low surface temperatures with the fine design and outstanding quality that one expects from Runtal. Runtal's electric baseboard panels are available in 3' to 10' lengths in 120, 208 and 240 volt configurations and may be ordered in more than 100 Runtal colors.



Commercial



Residential



Detail



# Electric Baseboard

**Euro-Style:** The American Made design with a space saving 2 ¼" depth.


**Choice of Colors:** Ten standard colors and over 100 optional colors to complement any project design.

**Durable:** Welded steel construction and advanced powder coat finishes provide for long-lasting durability for both commercial and residential applications.

**Easy Installation:** Simple wall mounting and a choice using either end for wiring.

**Comfortable:** Even radiant heat, high output, low temperature design.


**Immediate Availability:** In stock in White. Large quantities and other colors are made-to-order.




## Baseboard Heating Capacities (BTUH)

Model number	Available Lengths								Weight
	36"	48"	60"	72"	84"	96"	108"	120"	
<b>EB3-120D-(120 Volts)</b>									
BTUH output	1500	2000	2500	3000	3500	4000	4500	5000	10 lbs./ft.
Watt output	440	586	733	879	1026	1172	1319	1466	
<b>EB3-208D-(208 Volts)</b>									
BTUH output	1500	2000	2500	3000	3500	4000	4500	5000	10 lbs./ft.
Watt output	440	586	733	879	1026	1172	1319	1466	
<b>EB3-240D-(240 Volts)</b>									
BTUH output	1500	2000	2500	3000	3500	4000	4500	5000	10 lbs./ft.
Watt output	440	586	733	879	1026	1172	1319	1466	

## Mounting



## Wiring (Please refer to installation instructions for details.)





# **Runtal**® Electric Wall Panels

**We** are pleased to announce the addition to our electric line: The **Runtal Electric Wall Panels**.

Wall Panels are ideal for placement under windows or on walls where floor space is at a premium.

When placed under windows, wall panels help eliminate cold spots and drafts while allowing curtains to hang properly to the floor. The Runtal Electric Wall Panels are available in two heights

(17¼" & 23⅛") and

three lengths (2', 3', & 4').

They are available in

120, 208 and 240 volt

configurations and may be

ordered in more than 100

Runtal colors.

**Commercial**



**Detail**



**Residential**



Tel: 800-526-2621 ▲ In Canadian Tel: 888-829-4901 ▲ [www.runtalnorthamerica.com](http://www.runtalnorthamerica.com)

# Runtal® Electric Wall Panels, the details

**Euro-Style:** The American Made design with a space saving 2½" depth.

**Choice of Colors:** Ten standard colors and over 100 optional colors to complement any project design.


**Durable:** Welded steel construction and advanced powder coat finishes provide for long-lasting durability for both commercial and residential applications.

**Easy Installation:** Continuous wall mounting enables easy installation.

**Comfortable:** Even radiant heat with high output.

**Immediate Availability:** In stock in White. Large quantities and other colors are made-to-order.

**Mounting & Wiring:** Please refer to installation instructions for details.



## Electric Wall Panel Heating Capacities (BTUH)

Model number	Available Lengths			Weight
	24"	36"	48"	
EWP-6-120D-(120 Volts)				
BTUH output	2013	3003	4026	15 lbs./ft.
Watt output	590	880	1180	
Amps	4.9	7.3	9.8	
EWP-6-208D-(208 Volts)				
BTUH output	2013	3003	4026	15 lbs./ft.
Watt output	590	880	1180	
Amps	2.8	4.2	5.7	
EWP-6-240D-(240 Volts)				
BTUH output	2013	3003	4026	15 lbs./ft.
Watt output	590	880	1180	
Amps	2.5	3.7	4.9	
EWP-8-120D-(120 Volts)				
BTUH output	2627	3924	5220	20 lbs./ft.
Watt output	770	1150	1530	
Amps	6.4	9.6	12.8	
EWP-8-208D-(208 Volts)				
BTUH output	2627	3924	5220	20lbs./ft.
Watt output	770	1150	1530	
Amps	3.7	5.5	7.4	
EWP-8-240-(240 Volts)				
BTUH output	2627	3924	5220	20 lbs./ft.
Watt output	770	1150	1530	
Amps	3.2	4.8	6.4	



**RUNTAL NORTH AMERICA, INC.**

PO Box 8278, Ward Hill, MA 01835 (Haverhill)

Tel: 800-526-2621 ▲ In Canada: 888 829-4901

[www.runtalnorthamerica.com](http://www.runtalnorthamerica.com)

